

TX16Wx 3 skinning

@CWITEC 2018

1. About TX16Wx Skinning

TX16Wx uses a stylesheet based skinning system, where UI elements have `types`, `ids` and `classes`, similar to in HTML/CSS page. The graphical look of the user interface is then defined by a CSS-like language. Skins consist of a style sheet and additional image files.

2. Style sheet syntax

2.1. Imports

A style sheet may import another style sheet using the syntax:

```
@import "<file to import>"
```

You can re-use definitions between different looks using this feature.

2.2. Selectors

A style sheet consists of a number of style directives, each of which is guarded by one or more selectors that determine whether it should be applied to a given UI element. Selectors use a subset of the CSS selector syntax.

```
<type>[#<id>][.<class>][:psuedoclass] : { <directives> }
```

Selector	Matches
<code>pane</code>	A panel element
<code>.myclass</code>	Any element of class "myclass"
<code>#myid</code>	Element with the id "myid"
<code>button#myid.myclass</code>	Matches button elements with id "myid" and class "myclass"
<code>button:active</code>	Matches a button that is active (depressed)

A selector can contain more than one type/id/class element to identify element parent/child/ancestor relationships.

Selector	Matches
<code>tabbedpane scrollpane</code>	Matches a scrollpane element that has a tabview ancestor
<code>tabbedpane<scrollpa ne</code>	Matches a scrollpane element that has a tabview parent
<code>#cow pane<button. myclass</code>	Matches button elements with class "myclass" inside a pane with ancestor with id "cow"

Several selectors can be combined using a comma separator to apply a directive to different selections.

More than one selector/directive set pair can match a given element. In these cases the directives will be applied in a priority order where the more specific selectors are searched first. Please refer to the CSS priority documentation for a thorough explanation of selector priorities.

2.3. Directives

Directives are in a style similar to CSS "shorthand" directives. Each directive type consists of several values that can be stated or omitted, where some directive values will be either taken from the next matching directive segment or, for some, inherited.

A directive can be set to explicitly inherit attributes by adding an "inherit" value.

2.4. Font

The font directive sets font face, size, style and color for an element. Font attributes are by default inherited from the parent element unless specified.

```
font: [name] [size] [color] [style] [inherit]
```

Attribute	Type	Controls	Example
<code>name</code>	String	Font face	<code>"Lucida Sans", Courier</code>
<code>size</code>	Number	Font size	<code>10</code>
<code>color</code>	Color	Font color	<code>#445566,</code> <code>rgb(180, 70, 10),</code> <code>rgba(180, 70, 10, 255),</code> <code>transparent</code>
<code>style</code>	Enum	Font style	<code>italic bold strikethrough</code>

2.5. Images

Images are loaded by the "url" attribute, which takes either a file path or the name of a built-in resource. A resource is indicated by the file name being prepended by a single #.

Some controls, such as animated knobs and sliders, use multi bitmaps where the image file contains several sub-frames, each representing a single state for the control. Such a bitmap is declared by adding a `?<frames>` after the image path.

Bitmaps can also be loaded in "nine-tile" mode, which divides the bitmap into nine segments, left, top-left, top, right, top-right, bottom, bottom-left, bottom-right and center. All segments except the corners are then tiled to fill the required area. This is a good way to create bitmap backgrounds for panels of varying size. Nine-tile bitmaps are declared by adding inset coordinates after the file path like `url(<path>, left, top, right, bottom)`.

An image can be both multi-frame and tiled.

TX16Wx supports HPDI (high dpi) environments, and bitmaps can be multi-sized to accommodate UI scaling. To provide multiple images for various scales, create versions of the image in, for example 2x, 4x etc resolution, using the standard resolution suffix @2x, @4x etc. When referencing these images, you can use a pattern like <image-name>@?x.<ext> to have the style sheet loader pick the best resolution based on screen DPI.

2.6. Colors

Colors can be specified as either **rgb** hex codes (#00ffee), or **rgba** directives (rgba(180, 70, 10, 255)). The latter also defines transparency for the color.

2.7. Gradients

TX16Wx supports both linear and radial gradients. These can be used to color all elements, from fonts to backgrounds and lines.

```
linear-gradient([from], [to], <color 1> <offset>, <color 2> <offset>, ...);
```

```
radial-gradient([ellipse|circle], [angle], <color 1> <offset>, <color 2> <offset>,
```

2.8. Background

The background directive controls the background of the element, either as a bitmap, color, gradient or the absence of either.

Backgrounds can be layered, rounded or painted with an outline.

When **layer** is set to true, multiple matching background directives for a control will not replace each other, but instead be composited on top each other, in the order processed.

```
background: [url|color|gradient] [outline] [round inset] [layer] [inherit] [size];
```

Attribute	Type	Controls	Example
color	URL/color /gradient	background	url(mypic.png), url(#resource. png), url(mypic.png?31), url(mypic@?x. png?31), none
outline	boolean	background outline	outline

<code>round</code> <code>inset</code>	point	round corners	2/2
<code>layer</code>	boolean	background layering	<code>layer</code>
<code>size</code>	size	background minimum size	8/12

2.9. Rounded backgrounds

Backgrounds (including layers and outline) can have round corners.

```
border-radius: [size];
```

Attribute	Type	Controls	Example
<code>size</code>	size	x/y rounded radius	4/4

2.10. Fill

Some controls use a `fill` attribute, to control additional color fill.

```
background: [url|color|gradient] [inherit]
```

Attribute	Type	Controls	Example
<code>color</code>	URL/color/gradient	Fill color	<code>#445566</code> , <code>red</code> , <code>transparent</code>

2.11. Frame

The frame directive controls the color, size and style of `lines`, which may have different meaning depending on the element it is applied to.

Lines can be set to rounded, squared or dashed style, though not all controls may honor this.

```
frame: [url|color|gradient] [width] [style] [inherit]
```

Attribute	Type	Controls	Example
<code>width</code>	Number	Line width	<code>2px</code> , <code>1.5px</code>
<code>color</code>	Color	Frame color	<code>#445566</code> , <code>rgb(180, 70, 10)</code> , <code>red</code> , <code>url(mypic.png)</code>

<code>style</code>	Enum	Frame style	<code>rounded square</code> <code>dashed dashed-long</code>
--------------------	------	-------------	--

2.12. Position

The position directive controls alignment, inset and spacing aspects of control such as panes. For text widgets it controls text inset and alignment.

```
position: [inset] [spacing] [alignment] [inherit]
```

Attribute	Type	Controls	Example
<code>spacing</code>	Number	Child view spacing	<code>1px, 2</code>
<code>inset</code>	Point	View content inset, i.e left-right and top-bottom margin	<code>0/0, 3/4,4/2</code>
			<code>left right center</code>
<code>alignment</code>	Enum	Child element or text alignment	<code>top bottom middle</code> <code>pack column row</code> <code>minimal fixed</code>

3. Tools when writing skins

If the environment variable `CWUI_SKINS_DEBUG` is set to `true` (or `1`), the following hot keys become active.

- `ctrl-R`: Reloads the currently loaded skin.
- `ctrl-P`: Dumps the view structure of TX16Wx to an xml file in the temp directory.

4. TX16Wx view structure

This is a XML representation of the TX16Wx view structure including types, ids and classes. This can serve as a reference for writing skins.

```
<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<frame xmlns="" class="ui-pane ui-frame tx-main-frame ">
  <background/>
  <weight/>
  <inset/>
  <offset/>
  <spacing/>
  <alignment/>
  <colorBrush psuedoClass="2"/>
  <lineWidth/>
  <none class="disabled ">
    <background/>
  </none>
  <pane class="ui-pane " id="head-panel">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <component id="logo">
      <background/>
      <weight/>
    </component>
    <pane class="ui-pane " id="perf-controls">
      <background/>
      <weight/>
      <inset/>
      <offset/>
      <spacing/>
      <alignment/>
      <menu class="ui-menu ui-text-field " id="action-menu">
        <background/>
        <lineStyle/>
```

```

<colorBrush/>
<lineWidth/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</menu>
<button class="ui-button " id="help">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button bank " id="load">
    <background/>
    <lineStyle/>
    <colorBrush/>

```

```

<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<button class="ui-button bank " id="save">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>

```

```

</button>
<button class="ui-button bank " id="save-as">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button bank " id="clear">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<component>
    <background/>
    <weight/>
</component>
<button class="ui-button performance " id="new">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button performance " id="duplicate">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>

```

```

    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button performance " id="load">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button performance " id="save">
    <background/>
    <lineStyle/>
    <colorBrush/>

```

```

<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<button class="ui-button performance " id="save-as">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>

```

```

</button>
<button class="ui-button performance " id="delete">
  <background/>
  <lineStyle/>
  <colorBrush/>
  <lineWidth/>
  <lineStyle psuedoClass="1"/>
  <colorBrush psuedoClass="1"/>
  <lineWidth psuedoClass="1"/>
  <lineStyle psuedoClass="2"/>
  <colorBrush psuedoClass="2"/>
  <lineWidth psuedoClass="2"/>
  <weight/>
  <label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
      <background/>
    </icon>
  </label>
</button>
<menu class="ui-menu ui-text-field performance quality-menu " id="quality
  <background/>
  <lineStyle/>
  <colorBrush/>
  <lineWidth/>
  <weight/>
  <label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
      <background/>
    </icon>
  </label>
</menu>

```



```

<button class="ui-button " id="midi-select">
  <background/>
  <lineStyle/>
  <colorBrush/>
  <lineWidth/>
  <lineStyle psuedoClass="1"/>
  <colorBrush psuedoClass="1"/>
  <lineWidth psuedoClass="1"/>
  <lineStyle psuedoClass="2"/>
  <colorBrush psuedoClass="2"/>
  <lineWidth psuedoClass="2"/>
  <weight/>
  <label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
      <background/>
    </icon>
  </label>
</button>
<button class="ui-button " id="undo">
  <background/>
  <lineStyle/>
  <colorBrush/>
  <lineWidth/>
  <lineStyle psuedoClass="1"/>
  <colorBrush psuedoClass="1"/>
  <lineWidth psuedoClass="1"/>
  <lineStyle psuedoClass="2"/>
  <colorBrush psuedoClass="2"/>
  <lineWidth psuedoClass="2"/>
  <weight/>
  <label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>

```

```

        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="redo">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button performance " id="kill-all">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>

```

```

        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<spinner class="ui-editor ui-spinner " id="perf-selector">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <button class="ui-button button-up ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
                <lineStyle/>
                <colorBrush/>

```

```

        <linewidth/>
    </icon>
</label>
</button>
<button class="ui-button button-down ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <linewidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <linewidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <linewidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <linewidth/>
        </icon>
    </label>
</button>
<dropdown class="ui-text-field ui-editor ui-dropdown ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <linewidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>

```

```

        <colorBrush psuedoClass="2"/>
</none>
<frame class="ui-pane ui-frame ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <colorBrush psuedoClass="2"/>
    <lineWidth/>
    <none class="disabled ">
        <background/>
    </none>
</frame>
<button class="ui-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>

```

```

        </label>
    </button>
</dropdown>
</spinner>
<button class="ui-button " id="ui-minimal">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="ui-medium">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>

```

```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="ui-large">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
</pane>
<pane class="ui-pane " id="perf-vu-panel">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>

```

```

<alignment/>
<pane class="ui-pane " id="perf-vu-area">
  <background/>
  <weight/>
  <inset/>
  <offset/>
  <spacing/>
  <alignment/>
  <pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <vumeter class="ui-vumeter perf-vu ">
      <background/>
      <lineStyle/>
      <colorBrush/>
      <lineWidth/>
      <weight/>
      <inset/>
      <none class="meter ">
        <background/>
      </none>
    </vumeter>
    <vumeter class="ui-vumeter perf-vu ">
      <background/>
      <lineStyle/>
      <colorBrush/>
      <lineWidth/>
      <weight/>
      <inset/>
      <none class="meter ">
        <background/>
      </none>
    </vumeter>
  </pane>
  <label class="ui-label perf-vu-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>

```



```

    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
</pane>
<label class="ui-label perf-vu-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>

```

```

        <icon>
            <background/>
        </icon>
    </label>
    <pane class="ui-pane ">
        <background/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <vumeter class="ui-vumeter perf-vu ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <inset/>
            <none class="meter ">
                <background/>
            </none>
        </vumeter>
        <vumeter class="ui-vumeter perf-vu ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <inset/>
            <none class="meter ">
                <background/>
            </none>
        </vumeter>
    </pane>
    <label class="ui-label perf-vu-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>

```

```

        </icon>
</label>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
</pane>
<label class="ui-label perf-vu-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>

```

```

<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
</pane>
<label class="ui-label perf-vu-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<pane class="ui-pane ">
    <background/>

```

```

<weight/>
<inset/>
<offset/>
<spacing/>
<alignment/>
<vumeter class="ui-vumeter perf-vu ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <none class="meter ">
        <background/>
    </none>
</vumeter>
<vumeter class="ui-vumeter perf-vu ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <none class="meter ">
        <background/>
    </none>
</vumeter>
</pane>
<label class="ui-label perf-vu-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>

```

```

<offset/>
<spacing/>
<alignment/>
<vumeter class="ui-vumeter perf-vu ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <none class="meter ">
        <background/>
    </none>
</vumeter>
<vumeter class="ui-vumeter perf-vu ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <none class="meter ">
        <background/>
    </none>
</vumeter>
</pane>
<label class="ui-label perf-vu-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>

```

```

<alignment/>
<vumeter class="ui-vumeter perf-vu ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <none class="meter ">
        <background/>
    </none>
</vumeter>
<vumeter class="ui-vumeter perf-vu ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <none class="meter ">
        <background/>
    </none>
</vumeter>
</pane>
<label class="ui-label perf-vu-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <vumeter class="ui-vumeter perf-vu ">

```

```

        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
</pane>
<label class="ui-label perf-vu-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>

```



```

        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
</pane>
<label class="ui-label perf-vu-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>

```

```

        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
</pane>
<label class="ui-label perf-vu-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>

```

```

        <none class="meter ">
            <background/>
        </none>
    </vumeter>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
</pane>
<label class="ui-label perf-vu-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>

```

```

        </none>
    </vumeter>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
</pane>
<label class="ui-label perf-vu-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>

```

```

        <vumeter class="ui-vumeter perf-vu ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <inset/>
            <none class="meter ">
                <background/>
            </none>
        </vumeter>
    </pane>
    <label class="ui-label perf-vu-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <pane class="ui-pane ">
        <background/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <vumeter class="ui-vumeter perf-vu ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <inset/>
            <none class="meter ">
                <background/>
            </none>
        </vumeter>
        <vumeter class="ui-vumeter perf-vu ">
            <background/>

```

```

        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
</pane>
<label class="ui-label perf-vu-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>

```

```

        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
</pane>
<label class="ui-label perf-vu-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>

```

```

        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
</pane>
<label class="ui-label perf-vu-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
    <vumeter class="ui-vumeter perf-vu ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="meter ">

```



```

        <background/>
    </none>
</vumeter>
</pane>
<label class="ui-label perf-vu-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</pane>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <label class="ui-label " id="version-label">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <label class="ui-label " id="license-label">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>

```

```

        </icon>
    </label>
</pane>
</pane>
<pane class="ui-pane " id="main-button-panel">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <button class="ui-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>

```

```

<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<button class="ui-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
</pane>
</pane>
<multisplitpane class="ui-multisplit-pane " id="lower-panel">

```

```

<background/>
<weight/>
<inset/>
<spacing/>
<none class="ui-splitpane-handle ">
    <background/>
</none>
<foldingpane class="ui-pane ui-foldingpane " id="file-browser-fold-panel">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <spacing/>
    <pane class="ui-pane " id="file-panel">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <folder>
            <background/>
        </folder>
        <file>
            <background/>
        </file>
        <library>
            <background/>
        </library>
        <link>
            <background/>
        </link>
        <other>
            <background/>
        </other>
        <file class="wave ">
            <background/>
        </file>
    </pane>
</foldingpane>

```

```

<file class="prog ">
    <background/>
</file>
<folder class="zip ">
    <background/>
</folder>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <button class="ui-button ui-folding-pane-expand-switch ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button " id="up">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>

```

```

    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<dropdown class="ui-text-field ui-editor ui-dropdown " id="places">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
    <frame class="ui-pane ui-frame ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <colorBrush psuedoClass="2"/>

```

```

        <linewidth/>
        <none class="disabled ">
            <background/>
        </none>
    </frame>
    <button class="ui-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <linewidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <linewidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <linewidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
                <lineStyle/>
                <colorBrush/>
                <linewidth/>
            </icon>
        </label>
    </button>
</dropdown>
<button class="ui-button " id="favourite">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <linewidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <linewidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>

```

```

        <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
</pane>
<scrollpane class="ui-scrollpane ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <lineWidth/>
    <component class="ui-viewport ">
        <background/>
        <weight/>
        <table class="ui-editor ui-list-widget ui-table ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <spacing/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <none class="selected ">
                <background/>
            </none>
        </table>
    </component>
</scrollpane>

```



```

<none class="drop ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
</none>
<component class="ui-table-header ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <alignment/>
    <none class="cell ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
    <none class="sort ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>
</component>
</table>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">

```

```

        <background/>
        <weight/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <colorBrush psuedoClass="1"/>
        <inset/>
        <none class="ui-scroller-button ">
            <background/>
            <color/>
            <colorBrush/>
            <color psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <color psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
        </none>
    </scrollbar>
</pane>
<component class="ui-table-header ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <alignment/>
    <none class="cell ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
    <none class="sort ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>

```

```

        </none>
    </component>
</scrollpane>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <dropdown class="ui-text-field ui-editor ui-dropdown " id="filetype
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    <frame class="ui-pane ui-frame ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <colorBrush psuedoClass="2"/>
        <lineWidth/>
        <none class="disabled ">
            <background/>
        </none>
    </frame>
    <button class="ui-button ">
        <background/>
        <lineStyle/>

```

```

        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
            </icon>
        </label>
    </button>
</dropdown>
<button class="ui-button " id="play">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="auto">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="preview">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
</pane>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <pane class="ui-pane " id="wave">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <component class="wave-drawer ">
            <background/>
            <weight/>
            <fillBrush/>
            <none class="playing ">
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
            </none>
        </component>
    </pane>
    <dial class="ui-dial " id="volume">
        <background/>
        <weight/>

```

```

        </dial>
    </pane>
</pane>
<pane class="ui-pane ui-foldingpane-header vertical ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <button class="ui-button ui-folding-pane-expand-switch ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>

```

```

        </icon>
    </label>
</pane>
</foldingpane>
<pane class="ui-pane " id="edit-tab-panel">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <multisplitpane class="ui-multisplit-pane " id="edit-panel">
        <background/>
        <weight/>
        <inset/>
        <spacing/>
        <none class="ui-splitpane-handle ">
            <background/>
        </none>
        <scrollpane class="ui-scrollpane ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <inset/>
            <lineWidth/>
            <component class="ui-viewport ">
                <background/>
                <weight/>
                <pane class="ui-pane " id="fx-panel">
                    <background/>
                    <weight/>
                    <inset/>
                    <offset/>
                    <spacing/>
                    <alignment/>
                    <pane class="ui-pane fx-editor ">
                        <background/>
                        <lineStyle/>

```



```

<colorBrush/>
<lineWidth/>
<weight/>
<inset/>
<offset/>
<spacing/>
<alignment/>
<pane class="ui-pane fx-common ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <button class="ui-button " id="fx-bypass-button">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button " id="fx-mute-button">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>

```

```

<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field " id="fx-output-sele
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>

```

```

        <icon>
            <background/>
        </icon>
    </label>
</menu>
<menu class="ui-menu ui-text-field " id="fx-type-select
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<component>
    <background/>
    <weight/>
</component>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<dial class="ui-dial small ">
    <background/>
    <weight/>
</dial>
<label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <dial class="ui-dial small ">
        <background/>
        <weight/>
    </dial>
</pane>
<pane class="ui-pane fx-controls ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <dial class="ui-dial ">
        <background/>
        <weight/>
    </dial>
    <text class="ui-text-field ui-textview ui-editor ui-textview">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>

```

```

        </text>
        <component>
            <background/>
            <weight/>
        </component>
    </pane>
</pane>
<pane class="ui-pane fx-editor ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <pane class="ui-pane fx-common ">
        <background/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <button class="ui-button " id="fx-bypass-button">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <lineStyle psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <lineWidth psuedoClass="1"/>
            <lineStyle psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
            <lineWidth psuedoClass="2"/>
            <weight/>
            <label class="ui-label ">
                <background/>
                <weight/>
                <font/>
                <fontBrush/>
                <inset/>
                <alignment/>

```

```

        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="fx-mute-button">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field " id="fx-output-sele
    <background/>
    <lineStyle/>

```

```

        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <menu class="ui-menu ui-text-field " id="fx-type-select
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <component>
        <background/>
        <weight/>
    </component>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <dial class="ui-dial small ">
        <background/>
        <weight/>
    </dial>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <dial class="ui-dial small ">
        <background/>
        <weight/>
    </dial>
</pane>
<pane class="ui-pane fx-controls ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <dial class="ui-dial ">
        <background/>
        <weight/>
    </dial>
    <text class="ui-text-field ui-textview ui-editor ui-tex
        <background/>
        <lineStyle/>
        <colorBrush/>

```



```

        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
</component>
</pane>
</pane>
<pane class="ui-pane fx-editor ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <pane class="ui-pane fx-common ">
        <background/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <button class="ui-button " id="fx-bypass-button">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <lineStyle psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <lineWidth psuedoClass="1"/>
            <lineStyle psuedoClass="2"/>

```

```

        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button " id="fx-mute-button">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>

```

```

        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
<menu class="ui-menu ui-text-field " id="fx-output-sele
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<menu class="ui-menu ui-text-field " id="fx-type-select
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>

```

```

<component>
    <background/>
    <weight/>
</component>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<dial class="ui-dial small ">
    <background/>
    <weight/>
</dial>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<dial class="ui-dial small ">
    <background/>
    <weight/>
</dial>
</pane>
<pane class="ui-pane fx-controls ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>

```

```

        <spacing/>
        <alignment/>
        <dial class="ui-dial ">
            <background/>
            <weight/>
        </dial>
        <text class="ui-text-field ui-textview ui-editor ui-tex
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <none id="caret">
                <colorBrush/>
                <colorBrush psuedoClass="2"/>
            </none>
        </text>
        <component>
            <background/>
            <weight/>
        </component>
    </pane>
</pane>
<pane class="ui-pane fx-editor ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <pane class="ui-pane fx-common ">
        <background/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>

```

```

<alignment/>
<button class="ui-button " id="fx-bypass-button">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="fx-mute-button">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field " id="fx-output-select">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<menu class="ui-menu ui-text-field " id="fx-type-select">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>

```

```

        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<component>
    <background/>
    <weight/>
</component>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<dial class="ui-dial small ">
    <background/>
    <weight/>
</dial>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<dial class="ui-dial small ">
    <background/>
    <weight/>

```



```

        </dial>
    </pane>
    <pane class="ui-pane fx-controls ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <dial class="ui-dial ">
            <background/>
            <weight/>
        </dial>
        <text class="ui-text-field ui-textview ui-editor ui-tex
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <none id="caret">
                <colorBrush/>
                <colorBrush psuedoClass="2"/>
            </none>
        </text>
        <component>
            <background/>
            <weight/>
        </component>
    </pane>
</pane>
<pane class="ui-pane fx-editor ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>

```

```

<inset/>
<offset/>
<spacing/>
<alignment/>
<pane class="ui-pane fx-common ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <button class="ui-button " id="fx-bypass-button">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button " id="fx-mute-button">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>

```

```

<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field " id="fx-output-sele
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>

```

```

        </label>
</menu>
<menu class="ui-menu ui-text-field " id="fx-type-select
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<component>
    <background/>
    <weight/>
</component>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<dial class="ui-dial small ">
    <background/>
    <weight/>
</dial>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>

```

```

        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <dial class="ui-dial small ">
        <background/>
        <weight/>
    </dial>
</pane>
<pane class="ui-pane fx-controls ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <dial class="ui-dial ">
        <background/>
        <weight/>
    </dial>
    <text class="ui-text-field ui-textview ui-editor ui-tex
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<component>
    <background/>

```

```

        <weight/>
    </component>
</pane>
</pane>
<pane class="ui-pane fx-editor ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <pane class="ui-pane fx-common ">
        <background/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <button class="ui-button " id="fx-bypass-button">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <lineStyle psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <lineWidth psuedoClass="1"/>
            <lineStyle psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
            <lineWidth psuedoClass="2"/>
            <weight/>
            <label class="ui-label ">
                <background/>
                <weight/>
                <font/>
                <fontBrush/>
                <inset/>
                <alignment/>
                <icon>
                    <background/>
                </icon>
            </label>
        </button>
    </pane>
</pane>

```

```

        </label>
</button>
<button class="ui-button " id="fx-mute-button">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field " id="fx-output-sele
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>

```

```

        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <menu class="ui-menu ui-text-field " id="fx-type-select
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <component>
        <background/>
        <weight/>
    </component>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>

```



```

        </icon>
    </label>
    <dial class="ui-dial small ">
        <background/>
        <weight/>
    </dial>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <dial class="ui-dial small ">
        <background/>
        <weight/>
    </dial>
</pane>
<pane class="ui-pane fx-controls ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <dial class="ui-dial ">
        <background/>
        <weight/>
    </dial>
    <text class="ui-text-field ui-textview ui-editor ui-tex
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>

```

```

        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <component>
        <background/>
        <weight/>
    </component>
</pane>
</pane>
</pane>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">
        <background/>
        <weight/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <colorBrush psuedoClass="1"/>
        <inset/>
        <none class="ui-scroller-button ">
            <background/>
            <color/>
            <colorBrush/>
            <color psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <color psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
        </none>
    </scrollbar>
</pane>
</scrollpane>

```

```

<scrollpane class="ui-scrollpane ">
  <background/>
  <lineStyle/>
  <colorBrush/>
  <lineWidth/>
  <weight/>
  <inset/>
  <lineWidth/>
  <component class="ui-viewport ">
    <background/>
    <weight/>
    <pane class="ui-pane " id="slots">
      <background/>
      <weight/>
      <inset/>
      <offset/>
      <spacing/>
      <alignment/>
      <multisplitpane class="ui-multisplit-pane slot ">
        <background/>
        <weight/>
        <inset/>
        <spacing/>
        <none class="ui-splitpane-handle ">
          <background/>
        </none>
        <pane class="ui-pane slot-controls ">
          <background/>
          <lineStyle/>
          <colorBrush/>
          <lineWidth/>
          <weight/>
          <inset/>
          <offset/>
          <spacing/>
          <alignment/>
          <menu class="ui-menu ui-text-field icon-view ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <inset/>

```

```

        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
<menu class="ui-menu ui-text-field " id="action-menu">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="new">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="duplicate">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="load">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>

```

```

<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<button class="ui-button " id="save">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="save-as">
    <background/>
    <lineStyle/>

```

```

        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button " id="delete">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>

```

```

        </label>
</button>
<component>
    <background/>
    <weight/>
</component>
<menu class="ui-menu ui-text-field quality-menu " id="ç
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="curve">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>

```



```

        <icon>
            <background/>
        </icon>
    </label>
</button>
<text class="ui-text-field ui-textview ui-editor ui-text"
    id="poly">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textview ui-editor ui-text"
    id="transpose">
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textview ui-editor ui-text"
    id="detune">
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>

```

```

        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
</component>
    <background/>
    <weight/>
</component>
<colorswatch class="ui-colorswatch " id="color">
    <background/>
    <weight/>
    <inset/>
</colorswatch>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field " id="channel">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>

```

```

        <icon>
            <background/>
        </icon>
    </label>
</menu>
<moviebitmap class="ui-moviebitmap " id="active">
    <background/>
    <weight/>
</moviebitmap>
<menu class="ui-menu ui-text-field " id="output">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="mute">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>

```

```

        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="solo">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<spinner class="ui-editor ui-spinner ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <none class="preview ">

```

```

    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
</none>
<button class="ui-button button-up ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>
    </label>
</button>
<button class="ui-button button-down ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>

```

```

        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
            </icon>
        </label>
    </button>
    <dropdown class="ui-text-field ui-editor ui-dropdown"
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
        <frame class="ui-pane ui-frame ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <inset/>
            <offset/>

```

```

        <spacing/>
        <alignment/>
        <colorBrush psuedoClass="2"/>
        <lineWidth/>
        <none class="disabled ">
            <background/>
        </none>
    </frame>
    <button class="ui-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
            </icon>
        </label>
    </button>
</dropdown>
</spinner>
<text class="ui-text-field ui-textview ui-editor ui-tex
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>

```

```

<font/>
<fontBrush/>
<inset/>
<alignment/>
<none id="caret">
    <colorBrush/>
    <colorBrush psuedoClass="2"/>
</none>
</text>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <button class="ui-button fold-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button fold-button ">
        <background/>
        <lineStyle/>

```



```

<colorBrush/>
<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<button class="ui-button fold-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>

```

```

        </label>
</button>
<button class="ui-button fold-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button fold-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>

```

```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button fold-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button fold-button expand-all ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>

```

```

        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <component>
        <background/>
        <weight/>
    </component>
</pane>
<component>
    <background/>
    <weight/>
</component>
<dial class="ui-dial " id="slot-volume">
    <background/>
    <weight/>
</dial>
<dial class="ui-dial " id="slot-pan">
    <background psuedoClass="16"/>
    <weight/>
</dial>
<text class="ui-text-field ui-textview ui-editor ui-tex
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>

```

```

</text>
<text class="ui-text-field ui-textview ui-editor ui-tex
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button send-pre-fader ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<text class="ui-text-field ui-textview ui-editor ui-tex
    <background/>
    <lineStyle/>

```

```

        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <fader class="send-level ui-fader ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="ui-fader-handle ">
            <inset/>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <lineStyle psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <lineWidth psuedoClass="1"/>
            <lineStyle psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
            <lineWidth psuedoClass="2"/>
        </none>
    </fader>
    <menu class="ui-menu ui-text-field send-dest ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>

```

```

        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button send-pre-fader ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<text class="ui-text-field ui-textview ui-editor ui-tex
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">

```

```

        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<fader class="send-level ui-fader ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <none class="ui-fader-handle ">
        <inset/>
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
</fader>
<menu class="ui-menu ui-text-field send-dest ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>

```



```

<button class="ui-button send-pre-fader ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<text class="ui-text-field ui-textview ui-editor ui-tex
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<fader class="send-level ui-fader ">
    <background/>
    <lineStyle/>
    <colorBrush/>

```

```

        <lineWidth/>
        <weight/>
        <inset/>
        <none class="ui-fader-handle ">
            <inset/>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <lineStyle psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <lineWidth psuedoClass="1"/>
            <lineStyle psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
            <lineWidth psuedoClass="2"/>
        </none>
    </fader>
    <menu class="ui-menu ui-text-field send-dest ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
</pane>
<pane class="ui-pane arp-panel editor-panel " id="arp-pane
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>

```

```

<offset/>
<spacing/>
<alignment/>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <button class="ui-button " id="arp-on">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>

```

```

        </icon>
</label>
<menu class="ui-menu ui-text-field " id="arp-rate">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-editor ui-
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>

```

```

        <colorBrush psuedoClass="2"/>
    </none>
</text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field " id="arp-mode">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>

```

```

<text class="ui-text-field ui-textview ui-editor ui-
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<component>
    <background/>
    <weight/>
</component>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<button class="ui-button arp-selector ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button arp-selector ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button arp-selector ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>

```

```

<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<button class="ui-button arp-selector ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button arp-selector ">
    <background/>
    <lineStyle/>

```



```

<colorBrush/>
<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<button class="ui-button arp-selector ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>

```

```

        </label>
</button>
<button class="ui-button arp-selector ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button arp-selector ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>

```

```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
</pane>
<component class="arp-grid ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <spacing/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <none class="step ">
        <background/>
        <background psuedoClass="2"/>
        <inset/>
    </none>
    <none class="loop ">
        <background/>
    </none>
    <none class="play ">
        <background/>
    </none>
    <font/>
    <fontColor/>
    <none class="volume ">
        <background/>
    </none>
    <none class="fine ">
        <background/>
    </none>
</component>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>

```

```

<offset/>
<spacing/>
<alignment/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<dial class="ui-dial " id="arp-length">
    <background/>
    <weight/>
</dial>
<text class="ui-text-field ui-textview ui-editor ui-
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>

```

```

</label>
<dial class="ui-dial " id="arp-shuffle">
    <background/>
    <weight/>
</dial>
<text class="ui-text-field ui-textview ui-editor ui-
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<dial class="ui-dial " id="arp-strum">
    <background/>
    <weight/>
</dial>
<text class="ui-text-field ui-textview ui-editor ui-
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>

```

```

    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<component>
    <background/>
    <weight/>
</component>
<pane class="ui-pane preset-browser ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <dropdown class="ui-text-field ui-editor ui-dropc
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    <frame class="ui-pane ui-frame ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <colorBrush psuedoClass="2"/>

```

```

        <lineWidth/>
        <none class="disabled ">
            <background/>
        </none>
    </frame>
    <button class="ui-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
            </icon>
        </label>
    </button>
</dropdown>
<button class="ui-button " id="preset-new">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>

```

```

        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button " id="preset-save">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button " id="preset-erase">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>

```



```

        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
</pane>
</pane>
</pane>
<pane class="ui-pane editor-panel group-panel " id="group-
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <pane class="ui-pane ">
        <background/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <menu class="ui-menu ui-text-field " id="action-menu
            <background/>
            <lineStyle/>
            <colorBrush/>

```

```

        <linewidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <component class="toolbar-separator ">
        <background/>
        <weight/>
    </component>
    <button class="ui-button " id="new">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <linewidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <linewidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <linewidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button " id="duplicate">

```

```

<background/>
<lineStyle/>
<colorBrush/>
<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<button class="ui-button " id="delete">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>

```

```

        <background/>
    </icon>
</label>
</button>
<component class="toolbar-separator ">
    <background/>
    <weight/>
</component>
<component>
    <background/>
    <weight/>
</component>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-editor ui-
    id="program-low-key">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textview ui-editor ui-
    id="program-low-vel">
    <background/>
    <lineStyle/>

```

```

        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<text class="ui-text-field ui-textview ui-editor ui-
    id="program-high-key">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textview ui-editor ui-
    id="program-high-vel">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>

```

```

</text>
<button class="ui-button " id="toggle-keyswitch-edit
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
</pane>
<scrollpane class="ui-scrollpane ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <lineWidth/>
    <component class="ui-viewport ">
        <background/>
        <weight/>
        <table class="ui-editor ui-list-widget ui-table "
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>

```

```

<font/>
<fontBrush/>
<inset/>
<alignment/>
<spacing/>
<lineStyle/>
<colorBrush/>
<lineWidth/>
<none class="selected ">
    <background/>
</none>
<none class="drop ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
</none>
<component class="ui-table-header ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <alignment/>
    <none class="cell ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
    <none class="sort ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>

```

```

        </component>
    </table>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">
        <background/>
        <weight/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <colorBrush psuedoClass="1"/>
        <inset/>
        <none class="ui-scroller-button ">
            <background/>
            <color/>
            <colorBrush/>
            <color psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <color psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
        </none>
    </scrollbar>
</pane>
<component class="ui-table-header ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <alignment/>
    <none class="cell ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>

```



```

        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
    <none class="sort ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>
</component>
</scrollpane>
<pane class="ui-pane keyswitch-editor ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <checkbox class="ui-checkbox " id="keyswitch-enable"
        <background/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
            </icon>
        </label>
    </checkbox>
    <button class="ui-button " id="keyswitch-remove">

```

```

<background/>
<lineStyle/>
<colorBrush/>
<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field " id="keyswitch-r
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>

```

```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-editor ui-
    id="keyswitch-seq-pos">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textview ui-editor ui-
    id="keyswitch-seq-range">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>

```

```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-editor ui-
id="keyswitch-rand-lo">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textview ui-editor ui-
id="keyswitch-rand-hi">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>

```

```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field " id="keyswitch-s
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>

```

```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <text class="ui-text-field ui-textview ui-editor ui-
        id="keyswitch-range-lo">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textview ui-editor ui-
        id="keyswitch-range-hi">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>

```

```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <text class="ui-text-field ui-textview ui-editor ui-
        id="keyswitch-bpm-lo">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textview ui-editor ui-
        id="keyswitch-bpm-hi">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>

```

```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <text class="ui-text-field ui-textview ui-editor ui-
        id="keyswitch-key-lo">
        <background psuedoClass="16"/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textview ui-editor ui-
        id="keyswitch-key-hi">
        <background psuedoClass="16"/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>

```



```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <text class="ui-text-field ui-textview ui-editor ui-
        id="keyswitch-key-down">
        <background psuedoClass="16"/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textview ui-editor ui-
        id="keyswitch-key-up">
        <background psuedoClass="16"/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>

```

```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <text class="ui-text-field ui-textview ui-editor ui-
        id="keyswitch-key-last">
        <background psuedoClass="16"/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textview ui-editor ui-
        id="keyswitch-key-prev">
        <background psuedoClass="16"/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
</pane>
</pane>
<multisplitpane class="ui-multisplit-pane editor-panel reg
    <background/>
    <lineStyle/>

```

```

<colorBrush/>
<lineWidth/>
<weight/>
<inset/>
<spacing/>
<none class="ui-splitpane-handle ">
    <background/>
</none>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <menu class="ui-menu ui-text-field " id="action-menu
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <component class="toolbar-separator ">
        <background/>
        <weight/>
    </component>
    <button class="ui-button " id="new">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>

```

```

        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button " id="duplicate">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button " id="delete">

```

```

<background/>
<lineStyle/>
<colorBrush/>
<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<component class="toolbar-separator ">
    <background/>
    <weight/>
</component>
<button class="ui-button " id="map-fixed">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>

```

```

        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="map-velocity">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="map-inverse">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>

```

```

        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <component class="toolbar-separator ">
        <background/>
        <weight/>
    </component>
    <button class="ui-button " id="align-low-key">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button " id="align-low-vel">
        <background/>

```

```

<lineStyle/>
<colorBrush/>
<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<button class="ui-button " id="align-high-vel">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>

```



```

        </icon>
    </label>
</button>
<button class="ui-button " id="align-high-key">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<component>
    <background/>
    <weight/>
</component>
<button class="ui-button " id="toggle-grid">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>

```

```

        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
</pane>
<scrollpane class="ui-scrollpane region-editor-scroller
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <lineWidth/>
    <component class="ui-viewport ">
        <background/>
        <weight/>
        <component class="ui-editor region-editor ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <none class="preview ">
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
                <lineStyle psuedoClass="1"/>
                <colorBrush psuedoClass="1"/>
                <lineWidth psuedoClass="1"/>
                <lineStyle psuedoClass="2"/>
                <colorBrush psuedoClass="2"/>
                <lineWidth psuedoClass="2"/>
            </none>
            <font/>
            <none class="region ">

```

```

        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
    <none class="keys ">
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <fillBrush/>
    </none>
    <none class="black-keys ">
        <fillBrush/>
    </none>
    <none class="root-key ">
        <background/>
    </none>
    <none class="playing-keys ">
        <background/>
    </none>
    <none class="select ">
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>
    <none class="grid ">
        <colorBrush/>
    </none>
    <none class="over ">
        <colorBrush/>
    </none>
    <none class="map-range ">
        <background/>
    </none>
    <none class="map-range-root ">
        <background/>
    </none>
</component>

```

```

</component>
<pane class="ui-pane ui-scroller-area ">
  <background/>
  <weight/>
  <inset/>
  <offset/>
  <spacing/>
  <alignment/>
  <scrollbar class="ui-scrollbar ">
    <background/>
    <weight/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <colorBrush psuedoClass="1"/>
    <inset/>
    <none class="ui-scroller-button ">
      <background/>
      <color/>
      <colorBrush/>
      <color psuedoClass="1"/>
      <colorBrush psuedoClass="1"/>
      <color psuedoClass="2"/>
      <colorBrush psuedoClass="2"/>
    </none>
  </scrollbar>
  <button class="ui-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
      <background/>
      <weight/>
      <font/>
      <fontBrush/>

```

```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
</pane>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">
        <background/>
        <weight/>
        <lineStyle/>

```

```

        <colorBrush/>
        <lineWidth/>
        <colorBrush psuedoClass="1"/>
        <inset/>
        <none class="ui-scroller-button ">
            <background/>
            <color/>
            <colorBrush/>
            <color psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <color psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
        </none>
    </scrollbar>
    <button class="ui-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>

```

```

        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
</pane>
</scrollpane>
<scrollpane class="ui-scrollpane ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <lineWidth/>
    <component class="ui-viewport ">
        <background/>
        <weight/>
        <table class="ui-editor ui-list-widget ui-table ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <spacing/>

```

```

<lineStyle/>
<colorBrush/>
<lineWidth/>
<none class="selected ">
    <background/>
</none>
<none class="drop ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
</none>
<component class="ui-table-header ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <alignment/>
    <none class="cell ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
    <none class="sort ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>
</component>
<none class="preview ">
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>

```



```

        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
</table>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">
        <background/>
        <weight/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <colorBrush psuedoClass="1"/>
        <inset/>
        <none class="ui-scroller-button ">
            <background/>
            <color/>
            <colorBrush/>
            <color psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <color psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
        </none>
    </scrollbar>
</pane>
<component class="ui-table-header ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <alignment/>

```

```

        <none class="cell ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <lineStyle psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <lineWidth psuedoClass="1"/>
            <lineStyle psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
            <lineWidth psuedoClass="2"/>
        </none>
        <none class="sort ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </none>
    </component>
</scrollpane>
</multisplitpane>
<multisplitpane class="ui-multisplit-pane editor-panel wav
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <spacing/>
    <none class="ui-splitpane-handle ">
        <background/>
    </none>
    <pane class="ui-pane ">
        <background/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <menu class="ui-menu ui-text-field wave " id="actor
            <background/>
            <lineStyle/>
            <colorBrush/>

```

```

        <linewidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <button class="ui-button wave " id="load">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <linewidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <linewidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <linewidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button wave " id="save">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <linewidth/>

```

```

<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<button class="ui-button wave " id="save-as">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>

```

```

<component class="toolbar-separator ">
    <background/>
    <weight/>
</component>
<button class="ui-button loop " id="new">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button loop " id="duplicate">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>

```

```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<component class="toolbar-separator ">
    <background/>
    <weight/>
</component>
<button class="ui-button loop " id="overlay">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<component class="toolbar-separator ">
    <background/>
    <weight/>
</component>
<button class="ui-button wave " id="play">
    <background/>

```

```

<lineStyle/>
<colorBrush/>
<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<button class="ui-button wave " id="loop">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>

```

```

        </icon>
    </label>
</button>
<component class="toolbar-separator ">
    <background/>
    <weight/>
</component>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-editor ui-
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button slice " id="evenly">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>

```



```

        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <text class="ui-text-field ui-textview ui-editor ui-
        id="threshold">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textview ui-editor ui-
        <background/>

```

```

        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textview ui-editor ui-
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <button class="ui-button slice " id="beat">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>

```

```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<component class="toolbar-separator ">
    <background/>
    <weight/>
</component>
<text class="ui-text-field ui-textview ui-editor ui-
    id="boost-level">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button wave " id="boost">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>

```

```

        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<component>
    <background/>
    <weight/>
</component>
<button class="ui-button " id="toggle-grid">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
</pane>
<scrollpane class="ui-scrollpane ">
    <background/>
    <lineStyle/>
    <colorBrush/>

```

```

<lineWidth/>
<weight/>
<inset/>
<lineWidth/>
<component class="ui-viewport ">
  <background/>
  <weight/>
  <component class="wave-drawer wave-editor-view ">
    <background/>
    <weight/>
    <fillBrush/>
    <none class="playing ">
      <lineStyle/>
      <colorBrush/>
      <lineWidth/>
    </none>
    <marker>
      <font/>
      <inset/>
      <fontBrush/>
      <lineStyle/>
      <colorBrush/>
      <lineWidth/>
      <lineStyle psuedoClass="1"/>
      <colorBrush psuedoClass="1"/>
      <lineWidth psuedoClass="1"/>
      <lineStyle psuedoClass="2"/>
      <colorBrush psuedoClass="2"/>
      <lineWidth psuedoClass="2"/>
      <fillBrush/>
      <fillBrush psuedoClass="1"/>
      <fillBrush psuedoClass="2"/>
    </marker>
    <loop>
      <fillBrush/>
      <fillBrush psuedoClass="1"/>
      <fillBrush psuedoClass="2"/>
      <lineStyle/>
      <colorBrush/>
      <lineWidth/>
      <lineStyle psuedoClass="1"/>
      <colorBrush psuedoClass="1"/>
      <lineWidth psuedoClass="1"/>

```

```

        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </loop>
    <selection>
        <background/>
    </selection>
    <slice>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <background/>
    </slice>
    <crossfade>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </crossfade>
    <overlay-start>
        <fillBrush/>
    </overlay-start>
    <overlay-end>
        <fillBrush/>
    </overlay-end>
    <none class="grid ">
        <colorBrush/>
    </none>
</component>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">
        <background/>
        <weight/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <colorBrush psuedoClass="1"/>

```

```

<inset/>
<none class="ui-scroller-button ">
  <background/>
  <color/>
  <colorBrush/>
  <color psuedoClass="1"/>
  <colorBrush psuedoClass="1"/>
  <color psuedoClass="2"/>
  <colorBrush psuedoClass="2"/>
</none>
</scrollbar>
<button class="ui-button ">
  <background/>
  <lineStyle/>
  <colorBrush/>
  <lineWidth/>
  <lineStyle psuedoClass="1"/>
  <colorBrush psuedoClass="1"/>
  <lineWidth psuedoClass="1"/>
  <lineStyle psuedoClass="2"/>
  <colorBrush psuedoClass="2"/>
  <lineWidth psuedoClass="2"/>
  <weight/>
  <label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
      <background/>
    </icon>
  </label>
</button>
<button class="ui-button ">
  <background/>
  <lineStyle/>
  <colorBrush/>
  <lineWidth/>
  <lineStyle psuedoClass="1"/>
  <colorBrush psuedoClass="1"/>
  <lineWidth psuedoClass="1"/>

```

```

        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
</pane>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">
        <background/>
        <weight/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <colorBrush psuedoClass="1"/>
        <inset/>
        <none class="ui-scroller-button ">
            <background/>
            <color/>
            <colorBrush/>
            <color psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <color psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
        </none>
    </scrollbar>
    <button class="ui-button ">

```



```

        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>

```

```

        <background/>
    </icon>
</label>
</button>
</pane>
</scrollpane>
<tabbedpane class="ui-tabs ">
    <background/>
    <weight/>
    <inset/>
    <spacing/>
    <none class="ui-tab ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
    <pane class="ui-pane ui-tabs-header ">
        <background psuedoClass="64"/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <button class="ui-button ui-tab-button ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <lineStyle psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <lineWidth psuedoClass="1"/>
            <lineStyle psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
            <lineWidth psuedoClass="2"/>
            <weight/>
            <label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button ui-tab-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button ui-tab-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>

```

```

        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <component>
        <background/>
        <weight/>
    </component>
</pane>
<scrollpane class="ui-scrollpane ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <lineWidth/>
    <component class="ui-viewport ">
        <background/>
        <weight/>
        <table class="ui-editor ui-list-widget ui-tabl
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <spacing/>

```

```

        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <none class="selected ">
            <background/>
        </none>
        <none class="drop ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </none>
        <component class="ui-table-header ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <alignment/>
            <none class="cell ">
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
                <lineStyle psuedoClass="1"/>
                <colorBrush psuedoClass="1"/>
                <lineWidth psuedoClass="1"/>
                <lineStyle psuedoClass="2"/>
                <colorBrush psuedoClass="2"/>
                <lineWidth psuedoClass="2"/>
            </none>
            <none class="sort ">
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
            </none>
        </component>
    </table>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>

```

```

<weight/>
<inset/>
<offset/>
<spacing/>
<alignment/>
<scrollbar class="ui-scrollbar ">
    <background/>
    <weight/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <colorBrush psuedoClass="1"/>
    <inset/>
    <none class="ui-scroller-button ">
        <background/>
        <color/>
        <colorBrush/>
        <color psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <color psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
    </none>
</scrollbar>
</pane>
<component class="ui-table-header ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <alignment/>
    <none class="cell ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>

```

```

        </none>
        <none class="sort ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </none>
    </component>
</scrollpane>
<scrollpane class="ui-scrollpane ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <lineWidth/>
    <component class="ui-viewport ">
        <background/>
        <weight/>
        <table class="ui-editor ui-list-widget ui-tabl
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <spacing/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <none class="selected ">
                <background/>
            </none>
            <none class="drop ">
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
            </none>

```

```

        <component class="ui-table-header ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <alignment/>
            <none class="cell ">
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
                <lineStyle psuedoClass="1"/>
                <colorBrush psuedoClass="1"/>
                <lineWidth psuedoClass="1"/>
                <lineStyle psuedoClass="2"/>
                <colorBrush psuedoClass="2"/>
                <lineWidth psuedoClass="2"/>
            </none>
            <none class="sort ">
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
            </none>
        </component>
    </table>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">
        <background/>
        <weight/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <colorBrush psuedoClass="1"/>

```



```

        <inset/>
        <none class="ui-scroller-button ">
            <background/>
            <color/>
            <colorBrush/>
            <color psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <color psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
        </none>
    </scrollbar>
</pane>
<component class="ui-table-header ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <alignment/>
    <none class="cell ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
    <none class="sort ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>
</component>
</scrollpane>
<pane class="ui-pane sampler-editor ">
    <background/>
    <weight/>

```

```

<inset/>
<offset/>
<spacing/>
<alignment/>
<radiobutton class="ui-button ui-radiobutton ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</radiobutton>
<radiobutton class="ui-button ui-radiobutton ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>

```

```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</radiobutton>
<radiobutton class="ui-button ui-radiobutton ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</radiobutton>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>

```

```

</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="test-sequence">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>

```

```

        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <text class="ui-text-field ui-textview ui-editor
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>

```

```

</text>
<text class="ui-text-field ui-textview ui-editor
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text>
<text class="ui-text-field ui-textview ui-editor
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
</text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-editor

```

```

        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-editor
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textview ui-editor
    id="low-axis-value">
    <background/>

```

```

        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<text class="ui-text-field ui-textview ui-editor
    id="low-axis-value">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-editor
    <background/>
    <lineStyle/>

```



```

        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
</label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-editor
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textview ui-editor
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>

```

```

        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<text class="ui-text-field ui-textview ui-editor
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-editor
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>

```

```

        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <button class="ui-button " id="loop-samples">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>

```

```

<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<button class="ui-button " id="layout-samples">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>

```

```

        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-editor
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textview ui-editor
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="detect-pitch">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>

```

```

        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <text class="ui-text-field ui-textview ui-editor
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textview ui-editor
        <background/>
        <lineStyle/>

```

```

        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
</text>
<text class="ui-text-field ui-textview ui-editor
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<menu class="ui-menu ui-text-field " id="bus">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>

```

```

        </label>
    </menu>
    <text class="ui-text-field ui-textview ui-editor
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <pane class="ui-pane " id="sampler-vu-area">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <vumeter class="ui-vumeter input-vu ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <inset/>
            <none class="meter ">
                <background/>
            </none>
        </vumeter>
        <vumeter class="ui-vumeter input-vu ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>

```



```

        <weight/>
        <inset/>
        <none class="meter ">
            <background/>
        </none>
    </vumeter>
</pane>
<fader class="ui-fader input-threshold input-volu
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <none class="ui-fader-handle ">
        <inset/>
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
</fader>
<button class="ui-button " id="mono">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>

```

```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="listen">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="trigg-threshold">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>

```

```

        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button " id="trigg-transport">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button " id="trigg-record">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>

```

```

        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <menu class="ui-menu ui-text-field " id="channel"
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>

```

```

        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="use-midicc">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>

```

```

        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <button class="ui-button " id="use-midikey">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>

```

```

        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <text class="ui-text-field ui-textview ui-editor
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <pane class="ui-pane preset-browser ">
        <background/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <dropdown class="ui-text-field ui-editor ui-dr
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <none id="caret">
                <colorBrush/>
                <colorBrush psuedoClass="2"/>
            </none>

```

```

<frame class="ui-pane ui-frame ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <colorBrush psuedoClass="2"/>
    <lineWidth/>
    <none class="disabled ">
        <background/>
    </none>
</frame>
<button class="ui-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>
    </label>
</button>

```



```

</dropdown>
<button class="ui-button " id="preset-new">
  <background/>
  <lineStyle/>
  <colorBrush/>
  <lineWidth/>
  <lineStyle psuedoClass="1"/>
  <colorBrush psuedoClass="1"/>
  <lineWidth psuedoClass="1"/>
  <lineStyle psuedoClass="2"/>
  <colorBrush psuedoClass="2"/>
  <lineWidth psuedoClass="2"/>
  <weight/>
  <label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
      <background/>
    </icon>
  </label>
</button>
<button class="ui-button " id="preset-save">
  <background/>
  <lineStyle/>
  <colorBrush/>
  <lineWidth/>
  <lineStyle psuedoClass="1"/>
  <colorBrush psuedoClass="1"/>
  <lineWidth psuedoClass="1"/>
  <lineStyle psuedoClass="2"/>
  <colorBrush psuedoClass="2"/>
  <lineWidth psuedoClass="2"/>
  <weight/>
  <label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="preset-erase">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
</pane>
</pane>
</tabbedpane>
</multisplitpane>
<pane class="ui-pane editor-panel matrix-panel " id="matri
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>

```

```

<alignment/>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <menu class="ui-menu ui-text-field " id="action-menu
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <component class="toolbar-separator ">
        <background/>
        <weight/>
    </component>
    <button class="ui-button " id="new">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="load">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="save">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>

```

```

<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<button class="ui-button " id="save-as">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<component class="toolbar-separator ">
    <background/>
    <weight/>

```

```

</component>
<button class="ui-button " id="duplicate">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="delete">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<component class="toolbar-separator ">
    <background/>
    <weight/>
</component>
<button class="ui-button " id="delete-rows">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="delete-columns">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>

```

```

        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button " id="reverse-rows">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button " id="reverse-columns">
        <background/>
        <lineStyle/>
        <colorBrush/>

```



```

<linewidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<linewidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<linewidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<button class="ui-button " id="rotate-rows">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <linewidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <linewidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <linewidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>

```

```

</button>
<button class="ui-button " id="rotate-columns">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="swap-rows">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="swap-columns">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="distribute-rows">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="distribute-columns">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<component>
    <background/>
    <weight/>
</component>
</pane>
<pane class="ui-pane ">
    <background/>
    <weight/>

```

```

<inset/>
<offset/>
<spacing/>
<alignment/>
<pane class="ui-pane matrix-editor ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollpane class="ui-scrollpane ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <lineWidth/>
        <component class="ui-viewport ">
            <background/>
            <weight/>
            <list class="ui-editor ui-list-widget ui-li
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
                <weight/>
                <font/>
                <fontBrush/>
                <inset/>
                <alignment/>
                <spacing/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
                <none class="selected ">
                    <background/>
                </none>
                <none class="drop ">
                    <background/>
                    <lineStyle/>
                    <colorBrush/>

```

```

        <linewidth/>
    </none>
</list>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">
        <background/>
        <weight/>
        <lineStyle/>
        <colorBrush/>
        <linewidth/>
        <colorBrush psuedoClass="1"/>
        <inset/>
        <none class="ui-scroller-button ">
            <background/>
            <color/>
            <colorBrush/>
            <color psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <color psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
        </none>
    </scrollbar>
</pane>
</scrollpane>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>

```

```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
<menu class="ui-menu ui-text-field " id="x-sou
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="mod-curve">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>

```

```

        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field rrsource-me
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field " id="y-sou
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>

```



```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="mod-curve">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field rrsorce-me
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>

```

```

        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-edit
    id="x-threshold">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textview ui-edit
    id="y-threshold">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>

```

```

        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <dropdown class="ui-text-field ui-editor ui-dr
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    <frame class="ui-pane ui-frame ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>

```

```

        <colorBrush psuedoClass="2"/>
        <lineWidth/>
        <none class="disabled ">
            <background/>
        </none>
    </frame>
    <button class="ui-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
            </icon>
        </label>
    </button>
</dropdown>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>

```

```

        </icon>
    </label>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <dropdown class="ui-text-field ui-editor ui-dr
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    <frame class="ui-pane ui-frame ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <colorBrush psuedoClass="2"/>
        <lineWidth/>
        <none class="disabled ">
            <background/>
        </none>
    </frame>

```

```

<button class="ui-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>
    </label>
</button>
</dropdown>
<dropdown class="ui-text-field ui-editor ui-dr
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
<frame class="ui-pane ui-frame ">

```

```

        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <colorBrush psuedoClass="2"/>
        <lineWidth/>
        <none class="disabled ">
            <background/>
        </none>
    </frame>
    <button class="ui-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
            </icon>
        </label>
    </button>
</dropdown>

```

```

<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-edit
    id="cell-root">
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>

```



```

        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<text class="ui-text-field ui-textview ui-edit
    id="cell-root">
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textview ui-edit
    id="cell-attenuation">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<menu class="ui-menu ui-text-field " id="cell-
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>

```

```

        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <checkbox class="ui-checkbox " id="cell-revers
        <background/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
            </icon>
        </label>
    </checkbox>
    <text class="ui-text-field ui-textview ui-edit
        id="cell-pan">
        <background psuedoClass="16"/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">

```

```

        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
</pane>
</pane>
<scrollpane class="ui-scrollpane matrix-view-scrolle
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <lineWidth/>
    <component class="ui-viewport ">
        <background/>
        <weight/>
        <component class="matrix-view ">
            <font/>
            <inset/>
            <none class="matrix ">
                <background/>
                <background psuedoClass="1"/>
                <background psuedoClass="2"/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
                <lineStyle psuedoClass="1"/>
                <colorBrush psuedoClass="1"/>
                <lineWidth psuedoClass="1"/>
                <lineStyle psuedoClass="2"/>
                <colorBrush psuedoClass="2"/>
                <lineWidth psuedoClass="2"/>
                <font/>
                <fontBrush/>
            </none>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <none class="preview ">
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>

```

```

        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
</component>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">
        <background/>
        <weight/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <colorBrush psuedoClass="1"/>
        <inset/>
        <none class="ui-scroller-button ">
            <background/>
            <color/>
            <colorBrush/>
            <color psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <color psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
        </none>
    </scrollbar>
    <button class="ui-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>

```

```

        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
</pane>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>

```

```

<inset/>
<offset/>
<spacing/>
<alignment/>
<scrollbar class="ui-scrollbar ">
    <background/>
    <weight/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <colorBrush psuedoClass="1"/>
    <inset/>
    <none class="ui-scroller-button ">
        <background/>
        <color/>
        <colorBrush/>
        <color psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <color psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
    </none>
</scrollbar>
<button class="ui-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>

```

```

        </icon>
    </label>
</button>
<button class="ui-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
</pane>
</scrollpane>
</pane>
</pane>
<tabbedpane class="editor-panel ui-tabs sound-panel " id="
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <spacing/>
    <none class="ui-tab ">
        <background/>
        <lineStyle/>
        <colorBrush/>

```

```

<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
</none>
<pane class="ui-pane ui-tabs-scroller ">
  <background/>
  <weight/>
  <inset/>
  <offset/>
  <spacing/>
  <alignment/>
  <button class="ui-button button-left ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
      <background/>
      <weight/>
      <font/>
      <fontBrush/>
      <inset/>
      <alignment/>
      <icon>
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
      </icon>
    </label>
  </button>
</viewport class="ui-viewport ">

```



```

<background/>
<weight/>
<pane class="ui-pane ui-tabs-header ">
    <background psuedoClass="32"/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <button class="ui-button ui-tab-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
    <pane class="ui-pane sound-tab-tab ">
        <background/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <component>
            <background/>
            <weight/>
            <inset/>
        </component>
    <text class="ui-text-field ui-textview v
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>

```

```

        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <button class="ui-button " id="sound-tak
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
</pane>
</button>
<component>
    <background/>
    <weight/>
</component>
</pane>
</viewport>
<button class="ui-button button-right ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>

```

```

<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </icon>
</label>
</button>
<button class="ui-button " id="new-sound-params">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>

```

```

        </label>
    </button>
    <button class="ui-button " id="duplicate-sound-param
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
</pane>
<scrollpane class="ui-scrollpane ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <lineWidth/>
    <component class="ui-viewport ">
        <background/>
        <weight/>
        <pane class="ui-pane sound-panel ">
            <background/>
            <weight/>
            <inset/>
            <offset/>

```

```

<spacing/>
<alignment/>
<foldingpane class="ui-pane ui-foldingpane ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <spacing/>
    <pane class="ui-pane sound-editor aeg-editc
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <component class="env-view ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <inset/>
            <none class="env ">
                <fillBrush/>
                <fillBrush psuedoClass="1"/>
                <fillBrush psuedoClass="2"/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
                <lineStyle psuedoClass="1"/>
                <colorBrush psuedoClass="1"/>
                <lineWidth psuedoClass="1"/>
                <lineStyle psuedoClass="2"/>
                <colorBrush psuedoClass="2"/>
                <lineWidth psuedoClass="2"/>
            </none>
        </component>
    <dial class="ui-dial ">

```

```

        <background/>
        <weight/>
    </dial>
    <dial class="ui-dial ">
        <background/>
        <weight/>
    </dial>
    <dial class="ui-dial ">
        <background/>
        <weight/>
    </dial>
    <dial class="ui-dial ">
        <background/>
        <weight/>
    </dial>
    <dial class="ui-dial ">
        <background/>
        <weight/>
    </dial>
    <dial class="ui-dial ">
        <background/>
        <weight/>
    </dial>
    <text class="ui-text-field ui-textview u
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textview u
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>

```

```

        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textview v
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textview v
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textview v
        <background/>
        <lineStyle/>

```

```

        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<text class="ui-text-field ui-textview u
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textview u
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textview u

```



```

        <background psuedoClass="16"/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textview v
        <background psuedoClass="16"/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textview v
        <background psuedoClass="16"/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>

```

```

</text>
<dial class="ui-dial ">
    <background/>
    <weight/>
</dial>
<dial class="ui-dial ">
    <background psuedoClass="16"/>
    <weight/>
</dial>
<dial class="ui-dial ">
    <background psuedoClass="16"/>
    <weight/>
</dial>
<dial class="ui-dial ">
    <background/>
    <weight/>
</dial>
<dial class="ui-dial ">
    <background/>
    <weight/>
</dial>
<dial class="ui-dial ">
    <background/>
    <weight/>
</dial>
<text class="ui-text-field ui-textview v
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textview v
    <background psuedoClass="16"/>
    <lineStyle/>

```

```

        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<text class="ui-text-field ui-textview u
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textview u
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textview u

```

```

        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<text class="ui-text-field ui-textview u
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview u
    <background/>
    <lineStyle/>

```

```

        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<button class="ui-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>

```

```

        <icon>
            <background/>
        </icon>
    </label>
<button class="ui-button " id="curve">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
</pane>
<pane class="ui-pane ui-foldingpane-header
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <button class="ui-button ui-folding-pane
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>

```

```

        <linewidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <linewidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</pane>
</foldingpane>
<foldingpane class="ui-pane ui-foldingpane ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <linewidth/>
    <weight/>
    <inset/>
    <spacing/>
    <tabbedpane class="ui-tabs ">
        <background/>
        <weight/>
        <inset/>
        <spacing/>

```

```

<none class="ui-tab ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
</none>
<pane class="ui-pane ui-tabs-header ">
    <background psuedoClass="32"/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <button class="ui-button ui-tab-buttc
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>

```



```

<button class="ui-button ui-tab-buttc
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button ui-tab-buttc
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>

```

```

        <icon>
            <background/>
        </icon>
    </label>
</button>
<component>
    <background/>
    <weight/>
</component>
</pane>
<pane class="ui-pane filter-editor sound
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <dial class="ui-dial ">
        <background/>
        <weight/>
    </dial>

```

```

<dial class="ui-dial ">
    <background/>
    <weight/>
</dial>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>

```

```

        </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<dial class="ui-dial ">
    <background psuedoClass="16"/>
    <weight/>
</dial>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
</pane>
<pane class="ui-pane filter-editor sound
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>

```

```

<alignment/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<dial class="ui-dial ">
    <background/>
    <weight/>
</dial>
<dial class="ui-dial ">
    <background/>
    <weight/>
</dial>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>

```

```

        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>

```

```

        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <menu class="ui-menu ui-text-field ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>

```



```

</label>
<dial class="ui-dial ">
    <background psuedoClass="16"/>
    <weight/>
</dial>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
</pane>
<pane class="ui-pane sound-editor sound-
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <button class="ui-button send-pre-fac
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>

```

```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field se
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button send-pre-fac

```

```

<background/>
<lineStyle/>
<colorBrush/>
<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<menu class="ui-menu ui-text-field se
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>

```

```

        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
</button class="ui-button send-pre-fac
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field se
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>

```

```

        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <text class="ui-text-field ui-textvie
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <menu class="ui-menu ui-text-field "
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>

```

```

        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <text class="ui-text-field ui-textvie
        id="insert-param">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <label class="ui-label ">
        <background/>
        <weight/>

```

```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <text class="ui-text-field ui-textvie
        id="insert-param">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
</pane>
</tabbedpane>
<pane class="ui-pane ui-foldingpane-header
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <button class="ui-button ui-folding-pane
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>

```

```

        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</pane>
</foldingpane>
<foldingpane class="ui-pane ui-foldingpane ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <spacing/>
    <tabbedpane class="ui-tabs ">
        <background/>
        <weight/>
        <inset/>
        <spacing/>
        <none class="ui-tab ">
            <background/>
            <lineStyle/>

```



```

        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
    <pane class="ui-pane ui-tabs-header ">
        <background psuedoClass="32"/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <button class="ui-button ui-tab-buttc
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <lineStyle psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <lineWidth psuedoClass="1"/>
            <lineStyle psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
            <lineWidth psuedoClass="2"/>
            <weight/>
            <label class="ui-label ">
                <background/>
                <weight/>
                <font/>
                <fontBrush/>
                <inset/>
                <alignment/>
                <icon>
                    <background/>
                </icon>
            </label>
        </button>
        <button class="ui-button ui-tab-buttc
            <background/>
            <lineStyle/>

```

```

        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <component>
        <background/>
        <weight/>
    </component>
</pane>
<pane class="ui-pane lfo-editor sound-ec
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>

```

```

</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<dial class="ui-dial ">
    <background/>

```

```

        <weight/>
</dial>
<dial class="ui-dial ">
    <background/>
    <weight/>
</dial>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<moviebitmap class="ui-moviebitmap "
    <background/>
    <weight/>
</moviebitmap>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>

```

```

<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<moviebitmap class="ui-moviebitmap "
    <background psuedoClass="16"/>
    <weight/>
</moviebitmap>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>

```

```

</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<dial class="ui-dial ">
    <background psuedoClass="16"/>
    <weight/>
</dial>
<dial class="ui-dial ">
    <background/>
    <weight/>
</dial>
<dial class="ui-dial ">
    <background/>
    <weight/>
</dial>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>

```

```

        <linewidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textvie
        <background/>
        <lineStyle/>
        <colorBrush/>
        <linewidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <menu class="ui-menu ui-text-field ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <linewidth/>
        <weight/>

```

```

        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
</pane>
<pane class="ui-pane lfo-editor sound-ec
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <label class="ui-label ">

```



```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<dial class="ui-dial ">
    <background/>
    <weight/>
</dial>
<dial class="ui-dial ">
    <background/>
    <weight/>
</dial>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<moviebitmap class="ui-moviebitmap "
    <background/>
    <weight/>
</moviebitmap>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>

```

```

        <icon>
            <background/>
        </icon>
    </label>
</menu>
<moviebitmap class="ui-moviebitmap "
    <background psuedoClass="16"/>
    <weight/>
</moviebitmap>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<dial class="ui-dial ">

```

```

        <background psuedoClass="16"/>
        <weight/>
    </dial>
    <dial class="ui-dial ">
        <background/>
        <weight/>
    </dial>
    <dial class="ui-dial ">
        <background/>
        <weight/>
    </dial>
    <text class="ui-text-field ui-textvie
        <background psuedoClass="16"/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textvie
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textvie
        <background/>

```

```

        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <menu class="ui-menu ui-text-field ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
</pane>

```

```

</tabbedpane>
<pane class="ui-pane ui-foldingpane-header
  <background/>
  <weight/>
  <inset/>
  <offset/>
  <spacing/>
  <alignment/>
  <button class="ui-button ui-folding-pane
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
      <background/>
      <weight/>
      <font/>
      <fontBrush/>
      <inset/>
      <alignment/>
      <icon>
        <background/>
      </icon>
    </label>
  </button>
  <label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
      <background/>
    </icon>
  </label>

```

```

        </pane>
    </foldingpane>
    <foldingpane class="ui-pane ui-foldingpane ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <spacing/>
        <tabbedPane class="ui-tabs ">
            <background/>
            <weight/>
            <inset/>
            <spacing/>
            <none class="ui-tab ">
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
                <lineStyle psuedoClass="1"/>
                <colorBrush psuedoClass="1"/>
                <lineWidth psuedoClass="1"/>
                <lineStyle psuedoClass="2"/>
                <colorBrush psuedoClass="2"/>
                <lineWidth psuedoClass="2"/>
            </none>
            <pane class="ui-pane ui-tabs-header ">
                <background psuedoClass="32"/>
                <weight/>
                <inset/>
                <offset/>
                <spacing/>
                <alignment/>
                <button class="ui-button ui-tab-buttc
                    <background/>
                    <lineStyle/>
                    <colorBrush/>
                    <lineWidth/>
                    <lineStyle psuedoClass="1"/>
                    <colorBrush psuedoClass="1"/>
                    <lineWidth psuedoClass="1"/>
                    <lineStyle psuedoClass="2"/>

```

```

<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<button class="ui-button ui-tab-buttc
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button ui-tab-buttc
    <background/>
    <lineStyle/>
    <colorBrush/>

```



```

<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<button class="ui-button ui-tab-buttc
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>

```

```

</button>
<button class="ui-button ui-tab-buttc
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<component>
    <background/>
    <weight/>
</component>
</pane>
<pane class="ui-pane sound-editor env-ec
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <component class="env-view ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>

```

```

<inset/>
<none class="env ">
    <fillBrush/>
    <fillBrush psuedoClass="1"/>
    <fillBrush psuedoClass="2"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
</none>
</component>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>

```

```

        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>

```

```

        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>

```

```

        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>

```

```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
</pane>
<pane class="ui-pane sound-editor env-ec
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <component class="env-view ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <none class="env ">
            <fillBrush/>
            <fillBrush psuedoClass="1"/>
            <fillBrush psuedoClass="2"/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <lineStyle psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <lineWidth psuedoClass="1"/>
            <lineStyle psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
            <lineWidth psuedoClass="2"/>
        </none>
    </component>
    <text class="ui-text-field ui-textvie
        <background/>
        <lineStyle/>
        <colorBrush/>

```

```

        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background/>

```



```

        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>

```

```

<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>

```

```

        </none>
    </text>
    <text class="ui-text-field ui-textvie
        <background psuedoClass="16"/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textvie
        <background psuedoClass="16"/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
</pane>
<pane class="ui-pane seq-editor sound-ec
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <component class="sequence-view ">
        <background/>
        <lineStyle/>

```

```

        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <spacing/>
        <none class="grid ">
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </none>
        <none class="step ">
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </none>
        <none class="playback ">
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </none>
    </component>
    <menu class="ui-menu ui-text-field ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <text class="ui-text-field ui-textvie
        <background/>
        <lineStyle/>
        <colorBrush/>

```

```

        <linewidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <menu class="ui-menu ui-text-field ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <linewidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <text class="ui-text-field ui-textvie
        <background psuedoClass="16"/>
        <lineStyle/>
        <colorBrush/>
        <linewidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>

```

```

</text>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>

```

```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <text class="ui-text-field ui-textvie
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <menu class="ui-menu ui-text-field ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>

```

```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>

```



```

<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>

```

```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <menu class="ui-menu ui-text-field ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
</pane>
<pane class="ui-pane seq-editor sound-ec
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <component class="sequence-view ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <spacing/>
        <none class="grid ">

```

```

        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>
    <none class="step ">
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>
    <none class="playback ">
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>
</component>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>

```

```

        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
</menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>

```

```

        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>

```

```

<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>

```

```

</menu>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>

```

```

        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>

```



```

        </icon>
    </label>
    <menu class="ui-menu ui-text-field ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
</pane>
<pane class="ui-pane seq-editor sound-ec
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <component class="sequence-view ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <spacing/>
        <none class="grid ">
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </none>
        <none class="step ">
            <lineStyle/>

```

```

        <colorBrush/>
        <lineWidth/>
    </none>
    <none class="playback ">
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>
</component>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<menu class="ui-menu ui-text-field ">

```

```

        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <text class="ui-text-field ui-textvie
        <background psuedoClass="16"/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <text class="ui-text-field ui-textvie
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">

```

```

        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>

```

```

        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <menu class="ui-menu ui-text-field ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <menu class="ui-menu ui-text-field ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>

```

```

        <linewidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
</pane>
</tabbedpane>
<pane class="ui-pane ui-foldingpane-header
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <button class="ui-button ui-folding-pane
        <background/>
        <lineStyle/>
        <colorBrush/>
        <linewidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <linewidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <linewidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>

```



```

        <background/>
    </icon>
</label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</pane>
</foldingpane>
<foldingpane class="ui-pane ui-foldingpane ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <spacing/>
    <tabbedpane class="ui-tabs mod-editor sound
        <background/>
        <weight/>
        <inset/>
        <spacing/>
        <none class="ui-tab ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <lineStyle psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <lineWidth psuedoClass="1"/>
            <lineStyle psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
            <lineWidth psuedoClass="2"/>
        </none>
    <pane class="ui-pane ui-tabs-header ">

```

```

<background psuedoClass="32"/>
<weight/>
<inset/>
<offset/>
<spacing/>
<alignment/>
<button class="ui-button ui-tab-buttc
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button ui-tab-buttc
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button ui-tab-buttc
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button ui-tab-buttc
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>

```

```

<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<component>
    <background/>
    <weight/>
</component>
<pane class="ui-pane preset-browser ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <dropdown class="ui-text-field ui-
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/
        </none>
    <frame class="ui-pane ui-frame
        <background/>

```

```

        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <colorBrush psuedoClass="2"/>
        <lineWidth/>
        <none class="disabled ">
            <background/>
        </none>
    </frame>
    <button class="ui-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
            </icon>
        </label>
    </button>
</dropdown>
<button class="ui-button " id="pre

```

```

        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button " id="pre
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>

```

```

        <background/>
    </icon>
</label>
</button>
<button class="ui-button " id="pre
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            </icon>
        </label>
    </button>
</pane>
</pane>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>

```



```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="mod-cv
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>

```

```

        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-er
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>

```

```

<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<button class="ui-button " id="mod-cu
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>

```

```

</text>
<button class="ui-button " id="mod-fr
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>

```

```

<button class="ui-button " id="mod-cv
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie

```

```

        <background psuedoClass="16"/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
</button class="ui-button " id="mod-er
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>

```

```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button " id="mod-cv
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>

```



```

        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-fr
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>

```

```

</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="mod-cv
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>

```

```

<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-er
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>

```

```

<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<button class="ui-button " id="mod-cv
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-fr
    <background/>
    <lineStyle/>
    <colorBrush/>

```

```

<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="mod-cu
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>

```

```

<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>

```

```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
</button class="ui-button " id="mod-er
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>

```



```

</label>
<button class="ui-button " id="mod-cv
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>

```

```

<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-fr
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
</pane>
<pane class="ui-pane ">
    <background/>
    <weight/>

```

```

<inset/>
<offset/>
<spacing/>
<alignment/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <menu class="ui-menu ui-text-field ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <button class="ui-button " id="mod-cu
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>

```

```

<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>

```

```

        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
    <button class="ui-button " id="mod-er
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <button class="ui-button " id="mod-cv
        <background/>
        <lineStyle/>

```

```

<colorBrush/>
<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>

```

```

        <linewidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
</button class="ui-button " id="mod-fr
    <background/>
    <lineStyle/>
    <colorBrush/>
    <linewidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <linewidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <linewidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <linewidth/>
    <weight/>
    <label class="ui-label ">
        <background/>

```



```

        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="mod-cu
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>

```

```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-er
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>

```

```

        <icon>
            <background/>
        </icon>
    </label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<button class="ui-button " id="mod-cv
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>

```

```

<colorBrush/>
<lineWidth/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</menu>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-fr
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="mod-cv
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>

```

```

        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>

```

```

<button class="ui-button " id="mod-er
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<button class="ui-button " id="mod-cu
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>

```

```

<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>

```



```

        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
<button class="ui-button " id="mod-fr
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>

```

```

        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="mod-cv
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>

```

```

        <background/>
    </icon>
</label>
</menu>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-er
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>

```

```

<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<button class="ui-button " id="mod-cu
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>

```

```

        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-fr
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
</pane>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>

```

```

        <icon>
            <background/>
        </icon>
    </label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>

```

```

</menu>
<button class="ui-button " id="mod-cv
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>

```



```

<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-er
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>

```

```

        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button class="ui-button " id="mod-cu
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-fr
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>

```

```

        </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="mod-cv
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>

```

```

</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-er
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>

```

```

<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<button class="ui-button " id="mod-cu
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>

```

```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-fr
    <background/>
    <lineStyle/>

```

```

<colorBrush/>
<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="mod-cu
    <background/>
    <lineStyle/>
    <colorBrush/>

```



```

<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>

```

```

        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </text>
</button class="ui-button " id="mod-er
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>

```

```

        </icon>
    </label>
    <button class="ui-button " id="mod-cu
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <menu class="ui-menu ui-text-field ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>

```

```

</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-fr
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>

```

```

<colorBrush/>
<lineWidth/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</menu>
<button class="ui-button " id="mod-cu
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>

```

```

<lineWidth/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-er
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>

```

```

        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<button class="ui-button " id="mod-cv
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>

```

```

        </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-fr
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>

```



```

        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
</pane>
<pane class="ui-pane ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>

```

```

        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="mod-cu
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>

```

```

        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-er
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<button class="ui-button " id="mod-cv
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>

```

```

<lineStyle/>
<colorBrush/>
<lineWidth/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-fr
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>

```

```

        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <menu class="ui-menu ui-text-field ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <button class="ui-button " id="mod-cu
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>

```



```

</text>
<button class="ui-button " id="mod-er
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<button class="ui-button " id="mod-cu
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>

```

```

<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>

```

```

<inset/>
<alignment/>
<none id="caret">
    <colorBrush/>
    <colorBrush psuedoClass="2"/>
</none>
</text>
<button class="ui-button " id="mod-fr
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="mod-cu
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>

```

```

        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-er
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>

```

```

</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<button class="ui-button " id="mod-cv
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-fr
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>

```

```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<button class="ui-button " id="mod-cv
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>

```



```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<button class="ui-button " id="mod-er
    <background/>
    <lineStyle/>
    <colorBrush/>

```

```

<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<button class="ui-button " id="mod-cu
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>

```

```

        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<text class="ui-text-field ui-textvie
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>

```

```

        </none>
    </text>
    <button class="ui-button " id="mod-fr
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
</pane>
</tabbedpane>
<pane class="ui-pane ui-foldingpane-header
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <button class="ui-button ui-folding-pane
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>

```

```

        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</pane>
</foldingpane>
<component>
    <background/>
    <weight/>
</component>
</pane>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">

```

```

        <background/>
        <weight/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <colorBrush psuedoClass="1"/>
        <inset/>
        <none class="ui-scroller-button ">
            <background/>
            <color/>
            <colorBrush/>
            <color psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <color psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
        </none>
    </scrollbar>
</pane>
</scrollpane>
</tabbedpane>
<component>
    <background/>
    <weight/>
</component>
</multisplitpane>
</pane>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">
        <background/>
        <weight/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <colorBrush psuedoClass="1"/>
        <inset/>
        <none class="ui-scroller-button ">

```

```

        <background/>
        <color/>
        <colorBrush/>
        <color psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <color psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
    </none>
</scrollbar>
</pane>
</scrollpane>
</multisplitpane>
<pane class="ui-pane " id="setup-panel">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <pane class="ui-pane ">
        <background/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <button class="ui-button ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <lineStyle psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <lineWidth psuedoClass="1"/>
            <lineStyle psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
            <lineWidth psuedoClass="2"/>
            <weight/>
            <label class="ui-label ">
                <background/>
                <weight/>
                <font/>
                <fontBrush/>

```

```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<component>
    <background/>
    <weight/>
</component>
</pane>
<tabbedpane class="ui-tabs ">
    <background/>
    <weight/>
    <inset/>
    <spacing/>
    <none class="ui-tab ">
        <background/>

```



```

    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
</none>
<pane class="ui-pane ui-tabs-header ">
    <background psuedoClass="64"/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <button class="ui-button ui-tab-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button ui-tab-button ">
        <background/>

```

```

<lineStyle/>
<colorBrush/>
<lineWidth/>
<lineStyle psuedoClass="1"/>
<colorBrush psuedoClass="1"/>
<lineWidth psuedoClass="1"/>
<lineStyle psuedoClass="2"/>
<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<button class="ui-button ui-tab-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>

```

```

        </icon>
    </label>
</button>
<button class="ui-button ui-tab-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button ui-tab-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>

```

```

        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button ui-tab-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button ui-tab-button ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>

```

```

        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button ui-tab-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <button class="ui-button ui-tab-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>

```

```

        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </button>
    <component>
        <background/>
        <weight/>
    </component>
</pane>
<scrollpane class="ui-scrollpane ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <lineWidth/>
    <component class="ui-viewport ">
        <background/>
        <weight/>
        <pane class="ui-pane setup-panel " id="settings">
            <background/>
            <weight/>
            <inset/>
            <offset/>
            <spacing/>
            <alignment/>
            <label class="ui-label ">
                <background/>

```

```

        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</component>
    <background/>
    <weight/>
</component>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<checkbox class="ui-checkbox ">
    <background/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>
    </label>
</checkbox>
<label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
<checkbox class="ui-checkbox ">
    <background/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>
    </label>
</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<checkbox class="ui-checkbox ">
    <background/>
    <weight/>
    <label class="ui-label ">

```



```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>
    </label>
</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<checkbox class="ui-checkbox ">
    <background/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>
    </label>
</checkbox>

```

```

<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<checkbox class="ui-checkbox ">
    <background/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>
    </label>
</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<checkbox class="ui-checkbox ">
    <background/>
    <weight/>

```

```

<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </icon>
</label>
</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<checkbox class="ui-checkbox ">
    <background/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>
    </label>

```

```

</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<checkbox class="ui-checkbox ">
    <background/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>
    </label>
</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<checkbox class="ui-checkbox ">
    <background/>

```

```

<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </icon>
</label>
</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<checkbox class="ui-checkbox ">
    <background/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>

```

```

        </label>
</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<checkbox class="ui-checkbox ">
    <background/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>
    </label>
</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<checkbox class="ui-checkbox ">

```

```

<background/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </icon>
</label>
</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>

```

```

        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>

```



```

<checkbox class="ui-checkbox ">
    <background/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>
    </label>
</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-editor ui-text v
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>

```

```

</text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<checkbox class="ui-checkbox ">
    <background/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>
    </label>
</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<checkbox class="ui-checkbox ">
    <background/>

```

```

<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </icon>
</label>
</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-editor ui-text v
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
<text class="ui-text-field ui-textview ui-editor ui-text v
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-editor ui-text v
    <background psuedoClass="16"/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
<checkbox class="ui-checkbox ">
    <background/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>
    </label>
</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<button class="ui-button " id="curve">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>

```

```

<colorBrush psuedoClass="2"/>
<lineWidth psuedoClass="2"/>
<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>

```

```

</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<checkbox class="ui-checkbox ">
    <background/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>
    </label>
</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<checkbox class="ui-checkbox ">
    <background/>

```



```

<weight/>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </icon>
</label>
</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>

```

```

        </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">

```

```

        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <menu class="ui-menu ui-text-field ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
            </icon>
        </label>
    </menu>

```

```

        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>

```

```

<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-editor ui-text ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>

```

```

</text>
<button class="ui-button " id="browse">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<dropdown class="ui-text-field ui-editor ui-dropdown ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
    <frame class="ui-pane ui-frame ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <inset/>

```

```

        <offset/>
        <spacing/>
        <alignment/>
        <colorBrush psuedoClass="2"/>
        <lineWidth/>
        <none class="disabled ">
            <background/>
        </none>
    </frame>
    <button class="ui-button ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
        <weight/>
        <label class="ui-label ">
            <background/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <icon>
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
            </icon>
        </label>
    </button>
</dropdown>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>

```



```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
<checkbox class="ui-checkbox ">
    <background/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </icon>
    </label>
</checkbox>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>

```

```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<text class="ui-text-field ui-textview ui-editor ui-text v
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <none id="caret">
        <colorBrush/>
        <colorBrush psuedoClass="2"/>
    </none>
</text>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>

```

```

        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>

```

```

        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<menu class="ui-menu ui-text-field ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</menu>
</pane>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>

```

```

    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">
        <background/>
        <weight/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <colorBrush psuedoClass="1"/>
        <inset/>
        <none class="ui-scroller-button ">
            <background/>
            <color/>
            <colorBrush/>
            <color psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <color psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
        </none>
    </scrollbar>
</pane>
</scrollpane>
<scrollpane class="ui-scrollpane ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <lineWidth/>
    <component class="ui-viewport ">
        <background/>
        <weight/>
        <pane class="ui-pane output-editor ">
            <background/>
            <weight/>
            <inset/>
            <offset/>
            <spacing/>
            <alignment/>
            <label class="ui-label ">
                <background/>
                <weight/>

```

```

        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<component>
    <background/>
    <weight/>
</component>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<moviebitmap class="ui-moviebitmap output-type ">
    <background/>
    <weight/>
</moviebitmap>
<moviebitmap class="ui-moviebitmap output-type ">
    <background/>
    <weight/>
</moviebitmap>
<label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <moviebitmap class="ui-moviebitmap output-type ">
        <background/>
        <weight/>
    </moviebitmap>
    <moviebitmap class="ui-moviebitmap output-type ">
        <background/>
        <weight/>
    </moviebitmap>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <moviebitmap class="ui-moviebitmap output-type ">
        <background/>
        <weight/>
    </moviebitmap>
    <moviebitmap class="ui-moviebitmap output-type ">
        <background/>
        <weight/>
    </moviebitmap>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>

```

```

        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <moviebitmap class="ui-moviebitmap output-type ">
        <background/>
        <weight/>
    </moviebitmap>
    <moviebitmap class="ui-moviebitmap output-type ">
        <background/>
        <weight/>
    </moviebitmap>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <moviebitmap class="ui-moviebitmap output-type ">
        <background/>
        <weight/>
    </moviebitmap>
    <moviebitmap class="ui-moviebitmap output-type ">
        <background/>
        <weight/>
    </moviebitmap>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>

```



```

<moviebitmap class="ui-moviebitmap output-type ">
    <background/>
    <weight/>
</moviebitmap>
<moviebitmap class="ui-moviebitmap output-type ">
    <background/>
    <weight/>
</moviebitmap>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<moviebitmap class="ui-moviebitmap output-type ">
    <background/>
    <weight/>
</moviebitmap>
<moviebitmap class="ui-moviebitmap output-type ">
    <background/>
    <weight/>
</moviebitmap>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<moviebitmap class="ui-moviebitmap output-type ">
    <background/>
    <weight/>
</moviebitmap>
<moviebitmap class="ui-moviebitmap output-type ">

```

```

        <background/>
        <weight/>
</moviebitmap>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<moviebitmap class="ui-moviebitmap output-type ">
    <background/>
    <weight/>
</moviebitmap>
<moviebitmap class="ui-moviebitmap output-type ">
    <background/>
    <weight/>
</moviebitmap>
<label class="ui-label ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <icon>
        <background/>
    </icon>
</label>
<moviebitmap class="ui-moviebitmap output-type ">
    <background/>
    <weight/>
</moviebitmap>
<moviebitmap class="ui-moviebitmap output-type ">
    <background/>
    <weight/>
</moviebitmap>
<label class="ui-label ">
    <background/>

```

```

        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <moviebitmap class="ui-moviebitmap output-type ">
        <background/>
        <weight/>
    </moviebitmap>
    <moviebitmap class="ui-moviebitmap output-type ">
        <background/>
        <weight/>
    </moviebitmap>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
    <moviebitmap class="ui-moviebitmap output-type ">
        <background/>
        <weight/>
    </moviebitmap>
    <moviebitmap class="ui-moviebitmap output-type ">
        <background/>
        <weight/>
    </moviebitmap>
    <component>
        <background/>
        <weight/>
    </component>
</pane>
</component>
<pane class="ui-pane ui-scroller-area ">

```

```

        <background/>
        <weight/>
        <inset/>
        <offset/>
        <spacing/>
        <alignment/>
        <scrollbar class="ui-scrollbar ">
            <background/>
            <weight/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <colorBrush psuedoClass="1"/>
            <inset/>
            <none class="ui-scroller-button ">
                <background/>
                <color/>
                <colorBrush/>
                <color psuedoClass="1"/>
                <colorBrush psuedoClass="1"/>
                <color psuedoClass="2"/>
                <colorBrush psuedoClass="2"/>
            </none>
        </scrollbar>
    </pane>
</scrollpane>
<scrollpane class="ui-scrollpane setup-panel " id="performances">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <lineWidth/>
    <component class="ui-viewport ">
        <background/>
        <weight/>
        <table class="ui-editor ui-list-widget ui-table ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>

```

```

<font/>
<fontBrush/>
<inset/>
<alignment/>
<spacing/>
<lineStyle/>
<colorBrush/>
<lineWidth/>
<none class="selected ">
    <background/>
</none>
<none class="drop ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
</none>
<component class="ui-table-header ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <alignment/>
    <none class="cell ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
    <none class="sort ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>

```

```

        </component>
    </table>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">
        <background/>
        <weight/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <colorBrush psuedoClass="1"/>
        <inset/>
        <none class="ui-scroller-button ">
            <background/>
            <color/>
            <colorBrush/>
            <color psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <color psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
        </none>
    </scrollbar>
</pane>
<component class="ui-table-header ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <alignment/>
    <none class="cell ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>

```

```

        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
    <none class="sort ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>
</component>
</scrollpane>
<scrollpane class="ui-scrollpane setup-panel " id="programs">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <lineWidth/>
    <component class="ui-viewport ">
        <background/>
        <weight/>
        <table class="ui-editor ui-list-widget ui-table ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <spacing/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <none class="selected ">
                <background/>
            </none>
            <none class="drop ">

```

```

        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>
    <component class="ui-table-header ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <alignment/>
        <none class="cell ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <lineStyle psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <lineWidth psuedoClass="1"/>
            <lineStyle psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
            <lineWidth psuedoClass="2"/>
        </none>
        <none class="sort ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </none>
    </component>
</table>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">
        <background/>

```



```

        <weight/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <colorBrush psuedoClass="1"/>
        <inset/>
        <none class="ui-scroller-button ">
            <background/>
            <color/>
            <colorBrush/>
            <color psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <color psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
        </none>
    </scrollbar>
</pane>
<component class="ui-table-header ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <alignment/>
    <none class="cell ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
    <none class="sort ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>

```

```

        </component>
</scrollpane>
<scrollpane class="ui-scrollpane setup-panel " id="places">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <lineWidth/>
    <component class="ui-viewport ">
        <background/>
        <weight/>
        <table class="ui-editor ui-list-widget ui-table ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <spacing/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <none class="selected ">
                <background/>
            </none>
            <none class="drop ">
                <background/>
                <lineStyle/>
                <colorBrush/>
                <lineWidth/>
            </none>
            <component class="ui-table-header ">
                <background/>
                <weight/>
                <font/>
                <fontBrush/>
                <inset/>
                <alignment/>

```

```

        <alignment/>
        <none class="cell ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <lineStyle psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <lineWidth psuedoClass="1"/>
            <lineStyle psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
            <lineWidth psuedoClass="2"/>
        </none>
        <none class="sort ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </none>
    </component>
</table>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">
        <background/>
        <weight/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <colorBrush psuedoClass="1"/>
        <inset/>
        <none class="ui-scroller-button ">
            <background/>
            <color/>
            <colorBrush/>
            <color psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>

```

```

        <color psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
    </none>
</scrollbar>
</pane>
<component class="ui-table-header ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <alignment/>
    <none class="cell ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
    <none class="sort ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>
</component>
</scrollpane>
<scrollpane class="ui-scrollpane setup-panel " id="xcontrols">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <lineWidth/>
    <component class="ui-viewport ">
        <background/>

```

```

<weight/>
<table class="ui-editor ui-list-widget ui-table ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <spacing/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <none class="selected ">
        <background/>
    </none>
    <none class="drop ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>
    <component class="ui-table-header ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <alignment/>
        <none class="cell ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <lineStyle psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <lineWidth psuedoClass="1"/>
            <lineStyle psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
            <lineWidth psuedoClass="2"/>

```

```

        </none>
        <none class="sort ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </none>
    </component>
</table>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <scrollbar class="ui-scrollbar ">
        <background/>
        <weight/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <colorBrush psuedoClass="1"/>
        <inset/>
        <none class="ui-scroller-button ">
            <background/>
            <color/>
            <colorBrush/>
            <color psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <color psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
        </none>
    </scrollbar>
</pane>
<component class="ui-table-header ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>

```

```

        <alignment/>
        <none class="cell ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <lineStyle psuedoClass="1"/>
            <colorBrush psuedoClass="1"/>
            <lineWidth psuedoClass="1"/>
            <lineStyle psuedoClass="2"/>
            <colorBrush psuedoClass="2"/>
            <lineWidth psuedoClass="2"/>
        </none>
        <none class="sort ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </none>
    </component>
</scrollpane>
<scrollpane class="ui-scrollpane setup-panel " id="autoparams">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <lineWidth/>
    <component class="ui-viewport ">
        <background/>
        <weight/>
        <table class="ui-editor ui-list-widget ui-table ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <spacing/>

```

```

<lineStyle/>
<colorBrush/>
<lineWidth/>
<none class="selected ">
    <background/>
</none>
<none class="drop ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
</none>
<component class="ui-table-header ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <alignment/>
    <none class="cell ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>
    </none>
    <none class="sort ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
    </none>
</component>
</table>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>

```



```

<weight/>
<inset/>
<offset/>
<spacing/>
<alignment/>
<scrollbar class="ui-scrollbar ">
    <background/>
    <weight/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <colorBrush psuedoClass="1"/>
    <inset/>
    <none class="ui-scroller-button ">
        <background/>
        <color/>
        <colorBrush/>
        <color psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <color psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
    </none>
</scrollbar>
</pane>
<component class="ui-table-header ">
    <background/>
    <weight/>
    <font/>
    <fontBrush/>
    <inset/>
    <alignment/>
    <alignment/>
    <none class="cell ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <lineStyle psuedoClass="1"/>
        <colorBrush psuedoClass="1"/>
        <lineWidth psuedoClass="1"/>
        <lineStyle psuedoClass="2"/>
        <colorBrush psuedoClass="2"/>
        <lineWidth psuedoClass="2"/>

```

```

        </none>
        <none class="sort ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
        </none>
    </component>
</scrollpane>
<scrollpane class="ui-scrollpane setup-panel " id="log">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <weight/>
    <inset/>
    <lineWidth/>
    <component class="ui-viewport ">
        <background/>
        <weight/>
        <component class="ui-textview ui-editor ">
            <background/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <weight/>
            <font/>
            <fontBrush/>
            <inset/>
            <alignment/>
            <none id="caret">
                <colorBrush/>
                <colorBrush psuedoClass="2"/>
            </none>
        </component>
    </component>
</component>
<pane class="ui-pane ui-scroller-area ">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>

```

```

        <scrollbar class="ui-scrollbar ">
            <background/>
            <weight/>
            <lineStyle/>
            <colorBrush/>
            <lineWidth/>
            <colorBrush psuedoClass="1"/>
            <inset/>
            <none class="ui-scroller-button ">
                <background/>
                <color/>
                <colorBrush/>
                <color psuedoClass="1"/>
                <colorBrush psuedoClass="1"/>
                <color psuedoClass="2"/>
                <colorBrush psuedoClass="2"/>
            </none>
        </scrollbar>
    </pane>
</scrollpane>
<pane class="ui-pane setup-panel " id="about">
    <background/>
    <weight/>
    <inset/>
    <offset/>
    <spacing/>
    <alignment/>
    <component class="ui-textview ui-editor ">
        <background/>
        <lineStyle/>
        <colorBrush/>
        <lineWidth/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <none id="caret">
            <colorBrush/>
            <colorBrush psuedoClass="2"/>
        </none>
    </component>
<pane class="ui-pane ">

```

```

<background/>
<weight/>
<inset/>
<offset/>
<spacing/>
<alignment/>
<button class="ui-button activate ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">
        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<button class="ui-button deactivate ">
    <background/>
    <lineStyle/>
    <colorBrush/>
    <lineWidth/>
    <lineStyle psuedoClass="1"/>
    <colorBrush psuedoClass="1"/>
    <lineWidth psuedoClass="1"/>
    <lineStyle psuedoClass="2"/>
    <colorBrush psuedoClass="2"/>
    <lineWidth psuedoClass="2"/>
    <weight/>
    <label class="ui-label ">

```

```

        <background/>
        <weight/>
        <font/>
        <fontBrush/>
        <inset/>
        <alignment/>
        <icon>
            <background/>
        </icon>
    </label>
</button>
<component>
    <background/>
    <weight/>
</component>
</pane>
</pane>
</tabbedpane>
</pane>
</pane>
</multisplitpane>
</frame>

```